



# labmodul


Designing safety



# Designing safety...









# FIRE AND CHEMICAL CABINETS



## Steel special cabinets

### Fire resistant tall storage cabinet 30 minutes



With self-closing door in case of fire. The cabinet is equipped with 4 pull-out trays; Load capacity of 25 kg / pc. Collection pots in PP or PE are offered separately.  
Model nr. Q30.195.056



5 Years

NEW

Standard colors





### Fire resistant tall storage cabinet 90 minutes

With self-closing door in case of fire. Integrated ventilation duct for extraction. The cabinet is equipped with 3 shelves; Load capacity of 75 kg / pc. Collection pots in PP or PE are offered separately.  
Model nr. Q90.195.090



10 Years


Standard colors



### Fire resistant tall chemical storage cabinet 90 minutes

Pull-out cabinet with electric open/close function. Self-closing door in case of fire. Integrated ventilation duct for extraction. Supplied with 5 shelves and 1 x bottom with collecting swamp.


Model nr. Single Cabinet:  
V90.196.045.VDAC



### Fire resistant tall chemical storage cabinet 90 minutes

Double pull-out cabinet with electric open/close function. Self-closing door in case of fire. Integrated ventilation duct for extraction. Supplied with 10 shelves and 2 x bottom with collecting swamp.


Model nr. double cabinet:  
V90.196.081.VDAC






### Acid / Base cabinet with pull-out shelves

Ventilated under cabinet with 2 pull-out shelves, prepared for connection of ventilation. For storing aggressive and non-combustible chemicals. Model nr.: SL.060.059.UB.2T




Ventilated double under cabinet with 4 pull-out shelves, prepared for connection of ventilation. For storing aggressive and non-combustible chemicals. Model nr.: SL.060.110.UB.2T






### Acid / Base tall storage cabinet with pull-out shelves

Ventilated 2 split tall storage cabinet with 6 pull-out shelves, prepared for connection of ventilation. For storing aggressive and non-combustible chemicals. Model nr.: SL.196.060.MH



### Fire resistant under cabinet 90 minutes / with pull-out door

Fire resistant under cabinet 90 minutes, with drawers.  
Model nr.: UB90.060.059.S



### Fire resistant under cabinet 90 minutes, for chemical collection


Fire resistant under cabinet 90 minutes, for chemical collection in a drawer, prepared for the liquid level gauge with alarm.  
Model nr.: UB90.060.059.T




Accessories:  
Table-mounted waste suit for collecting in the dunk located in the under cabinet.  
Varenr.: 28931











**labmodul**  
Designing safety

Version: ★ ★ ★

LABMODUL A/S

Valhøjs alle 190  
DK-2610 Rødovre  
info@labmodul.dk