



Designing safety...









labmodul



LABMODUL HPLC CABINETS

Cleaner working environment

Flexible workplace

Integrated LED lighting

Good insight due to Float glass

Easy to clean

Robust and durable



NEW GENERATION OF HPLC cabinet

Labmodul's ventilated HPCL cabinet can cover all specific requirements for a functional and flexible laboratory. The cabinet provides the highest protection for the user.

Labmodul has redesigned the cabinets so that they appear in a simple and clean design, where the function and flexibility are optimized.

HPLC (High-Performance Liquid Chromatography) cabinets with suction are available in 2 different widths.

Common to the cabinets is the mobile equipment wagon where space has been made for cable connections between the devices and shelves.





HPLC REMOVABLE CABINETS

Inside the cabinet, there is integrated energy-saving LED lighting with a pleasant light temperature.

For service and new installations, the interior cart goes completely out of the cabinet and is accessible from all sides as a perfect ergonomic solution.

The cabinet is designed with a removable upper shelf that can be placed at different heights with an interval of a few cm. Worktop and lower shelf are made of solid compact laminate, prepared for cable and hose penetrations to the stated equipment. The unit can be pulled out of the cabinet without power and equipment having to be disconnected.

The technology panel with. 8 sockets is mounted under the worktop and cables can be pulled easily through the worktop via cable holes.




Both the cabinet and appliance table are fitted with large smooth-running industrial wheels with high stability.



HPLC removable cabinets





For service and new installation, the interior trolley can be driven completely out of the cabinet and accessible from all sides - a perfect ergonomic solution.

A technical Panel with 8 sockets is mounted beneath the worktop and the cables are pulled easily through the worktop via the cable entry holes.

The cabinet has integrated energy-saving LED lighting with a comfortable light temperature.

The HPLC cabinets are delivered as standard in height of 200 cm, in widths 75 / 120 cm, and 80 cm in depth.



The HPLC cabinet's mobile trolley has been made even more user-friendly. This is helpful for an easy basic setup of the device.

The carriage is designed with a removable shelf at the top that can be placed within a range of a few cm, Worktops, and underframes are made of solid compact laminate, prepared for cable, and pipe feeds for the installed equipment. The unit can be pulled all the way out of the cabin without disconnecting power.

The carriage is approved for a total load of 250 kg divided as follows:

Top shelf 30 kg Center shelf 180 kg Bottom shelf 100 kg EL outlet 8 pcs. 230V

